

L Number	Hits	Search Text	DB	Time stamp
38	19	(tow\$4 adj cable) and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:13
39	9	"6072928"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:09
40	185	385/\$.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:14
41	3	385/107.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:14
42	4	385/107.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:14
43	2	385/106.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:14
44	0	385/105.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:15
45	2	385/103.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:15
46	2	385/102.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:15
47	3	385/101.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:15
48	10	385/100.ccls. and ((thermal or temperature) adj profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:18
49	14	385/100.ccls. and ((thermal or temperature) adj measur\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:18

50	424	385/\$.ccls. and ((thermal or temperature) adj measur\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:18
51	1022	385/\$.ccls. and ((thermal or temperature) NEAR2 measur\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:18
52	914	385/\$.ccls. and ((thermal or temperature) NEAR2 measur\$8) and light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:18
53	64	385/\$.ccls. and ((thermal or temperature) NEAR2 measur\$8) and light and Raman	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:19
54	51	385/\$.ccls. and ((thermal or temperature) NEAR2 measur\$8) and light and Raman and scatter\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:21
55	29	385/\$.ccls. and ((thermal or temperature) NEAR2 measur\$8) and light and Raman and scatter\$4 and cabl\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:21
63	76	374/137.ccls. and fiber\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:30
64	41	374/137.ccls. and (fiber\$3 or cabl\$4) and tow\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:48
65	86	374/161.ccls. and (fiber\$3 or cabl\$4) and tow\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:50
66	94	374/131.ccls. and (fiber\$3 or cabl\$4) and tow\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:56
67	273	385/107.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:10
68	175	385/107.ccls. and (outer\$9 or exterior)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:10

69	120	385/107.ccls. and (outer\$9 or exterior) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:10
70	72	385/107.ccls. and (outer\$9 or exterior) and core and jacket	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:17
71	12	385/107.ccls. and ((armor or armour) adj wires) and core and jacket	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:17

L Number	Hits	Search Text	DB	Time stamp
1	9	"6072928"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:41
2	19	"5991479"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:41
3	22	"5696863"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:43
4	998	(temperature NEAR (distribution or profile)) and (fiber NEAR optic\$4) and scatter\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:44
5	588	(temperature NEAR (distribution or profile)) and (fiber NEAR optic\$4) and ((scatter\$5 or backscatter\$4) NEAR (light or radiation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:45
6	135	(temperature NEAR (distribution or profile)) and (fiber NEAR optic\$4) and ((scatter\$5 or backscatter\$4) NEAR (light or radiation)) and (374/\$.ccls. or 385/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:46